

#### AUSTRALASIA EXCLUSIVE RANGE



Our exclusive range of innovative machinery is regularly used by leading turf care professionals on some of the worlds finest sports surfaces



LATEST NEWS

# Nick Brown joins Campey as Export Sales Manager

Campey Turf Care Systems has appointed well known industry figure, Nick Brown, as their new Export Sales Manager.

Nick has over 20-years of experience in golf, and sports turf and through his previous role at Ransomes Jacobsen has extensive knowledge of the international markets. His understanding of these areas doesn't only come from work. Four generations of his family were born and worked in the Far East, and he has lived in Australia, Malaysia, Singapore and predominantly Indonesia across 25 years.

His experience in this part of the world, in particular his knowledge of local cultures, makes him exceptionally well suited to the role, and his decision to join the company is centred on Campey's innovation and creativity as well as the core value of building and maintaining long lasting customer relationships.

Nick Explained: "Campey is a highly regarded company in the turf industry here in the United Kingdom and across the world. They have earned that reputation by providing innovative, reliable and robust machinery that meets the needs of customers through an excellent distribution base.

"In my new role, I want to build on the consistent and well-known message that

Campey is always willing to go the extra mile to help. I have always worked on the basis of 'making a customer, not a sale,' and that matches perfectly with the common goals and message the Campey team has.

"By listening to customers and what they need, we can continue to make machines that solve common issues while thinking one step ahead and finding more creative solutions to improve turf quality. I think by putting these aspects together we can grow the Campey brand into new territories and I'm looking forward to working with everyone in the team."

Nick joins Campey during a challenging time for global travel and distribution, but Campey chairman, Richard Campey, believes Nick's knowledge and enthusiasm will bring a fresh approach to the situation.

"Nick is someone who comes with a lot of experience and will be a great asset to our company, and we're delighted to welcome him to Campey," Richard began. "He joins us at a time of constant change in terms of global travel, in particular the restrictions we have to work with while still providing the best service to our customers. With support from our Director Lee Morgado, who is already



well-known to our dealer network and end users from the middle east to Australasia we hope to continue to grow in these established and new markets. That will require a different approach in terms of connecting with our export markets, and I've got no doubt that Nick will take that challenge on with enthusiasm."

Campey currently has 53 distributors across Europe, Asia, North and South America and the Middle East. Their wide range of product lines has allowed them to assist turf professionals across the world in improving turf standards through innovations in fraise mowing, aeration, spreading and seeding.

For any international enquiries, contact Nick at nick@campeyturfcare.com or phone +44 7974 318 584.

#### CONTENTS

CAMPEY™	04
Ancillary Products	30

CampeyTurfCare

**f** CampeySportsTurfMachinery

CampeyMachinery

© CampeyTurfCare



Innovative machinery designed by turf care

experts for turf care experts

Here is a selection of the Campey<sup>™</sup> range of high quality purpose built equipment designed for and by leading groundsmen to enable turf managers to meet the increased demands placed on modern sports turf surfaces.

The Campey™ UNIRAKE™ designed to accurately maintain natural and synthetic grass including hybrid surfaces. Offering high intensity grooming that can be calibrated in its severity.

The Campey™ Uni-Scratch has been developed to infill or refill when installing or looking after synthetic grass carpets. It can also be used for the final organic matter removal on natural grass hybrid carpet pitches when carrying out annual renovations.

The Campey™ TB 220 a heavy-duty, but lightweight, towed brush system for brushing in top-dressing on greens and other fine turf surfaces. The brush unit is free-floating and has the option to lockout either the front or rear brush as required.

The Campey™ SPEEDRESSER™ 18H and 24H are bulk dropspreader designed to handle all top dressing materials. The 4 flotation tyres on pivoting axle minimise the risk of turf damage and compaction. Ideal for golf courses and sports fields use, both with private clubs, local authorities and contractors.

To find out more information about the Imants machinery or any of the Campey exclusive range of turf care products simply call +44 (0)1260 224568, or visit www.campeyturfcare.com




















CAMPEY™ LINE MARKER DRAGMAT CAMPEY™ EXCLUSIVE MACHINERY



### Simply Precise

The CAMPEY™ LM3010 / LM3012 is a simple, durable and easy to operate liquid transfer line marker. Marking material is transferred from the 30ltr hopper to the 10cm or 12cm wide marking wheel by a grooved rubber roller, giving even, accurate lines. Features adjustable, tubular steel handles, pneumatic tyres and has an adjustable flow rate. Front roller allows marking up to post or flag. Recommended marking materials include propriety marking paints, emulsion paint, etc. Always check marking materials comply with H.S.E guidelines for sports field use.



The CAMPEY™ Dragmats come in a variety of different sizes and are available in heavy-duty reinforced rubber or steel construction. Dragmats are ideal for rubbing-in top dressings, dew and clippings dispersal. Small mats can be hand-pulled, while the wider units are more suited to towing on the optional 3-point frame. Available in 4 different widths, and 2 different thicknesses (rubber) for a variety of different handling applications and tasks.

CAMPEY™ **TRAILERS** | **ROLLERS** | CAMPEY™ EXCLUSIVE MACHINERY



## Tipping Trailer

### TTR2 Trailer

2 tonne hydraulic, rear tipping trailer on 300mm turf tyres. 2.44 x 1.52 trailer bed. Optional set of 460mm high mesh extension sides

### TTR3.5 Trailer

3.5 tonne hydraulic, rear tipping trailer on 390mm turf tyres.  $3.05 \times 1.83$  trailer bed.

As above, with 1m high, mesh front & solid RH side extensions (for Koro Work)

### TTR4 Trailer

4 tonne hydraulic, rear tipping trailer on 390mm turf tyres. 3.35 x 1.83 trailer bed, with hydraulic brakes & handbrake.

As above, with mesh front & solid RH side extensions (for Koro Work)





### Roller

### T180R

1.8m wide 3pt mounted. Ballast Roller. 406mm diameter. 190kg - 430kg.







## Strength & speed

The Campey™ SPEEDRESSER™ 18H is a bulk drop-spreader designed to handle all topdressing materials. The 4 flotation tyres on a pivoting axle minimise the risk of turf damage and compaction. Ideal for golf courses and sports fields use, both with private clubs, local authorities and contractors. The SPEEDRESSER™ 18H requires a tractor of at least 30hp, and is driven hydraulically from the tractor via an agitator and twin rollers. The high work rate enables the spreading of dressings up to depths of 2mm-75mm in one pass.

Spreading width	1.80m
Overall width	10m
Body Length	3.00m (2.00m with drawbar removed)
Hopper Capacity	2.25m³ (3.25m³ with hopper extension)
Loading height	1.40m (1.75m with hopper extension) (69")
Gross weight	4,000kg (5,500kg with hopper extension)
Weight (unladen)	960kg (1050kg with hopper extention)
Tractor requirement	50hp +. Spool valve. Pick up hitch/drawbar
Tyres	4 x Ultra Trac 26.5 x 14 x 12
Operating speed	Up to 12mph (18kph)

CAMPEY™ **Speedresser™ 24H**CAMPEY™ EXCLUSIVE MACHINERY

# Get the job done properly and fast

The Campey™ SPEEDRESSER™ 24H is a 2.4m wide drop-spreader designed to handle all topdressing material. The 4 flotation tyres minimise the risk of turf damage and compaction. Ideal for golf courses and sports field use, both with private clubs, local authorities and contractors. The SPEEDRESSER™ 24H requires a tractor of at least 75hp, and is PTO driven, via a heavy-duty transmission to an agitator and twin rollers. The twin rollers are now hydraulically adjustable against a pre-set stop to alter spreading rate applications. The high work rate enables the spreading of topdressings up to depths of 2mm-75mm in one pass.

2.40m
2.65m
2.30m
5.75m³
2.00m
9,250kgs
2,250kgs
75ph +. Pick up hitch or clevis drawbar & 2 spool valves
4 x Flotation tyres - 15.5 x 14ply
Up to 12mph (18kph)




CAMPEY™ **SPORTSFIELD HARROW**CAMPEY™ EXCLUSIVE MACHINERY

## Aggressive surface grooming

The CAMPEY™ Sportsfield Harrow is a tractor mounted implement for aggressive surface grooming. It can be used on turf, for standing prone grasses, dragging out dead or dying organic matter, or creating a tilth prior to seeding. The Campey™ Sportsfield Harrow also has an application for grooming on hard porous surfaces and is also ideal for gravel paths where regular use will prevent the accumulation of moss and algae. This 3-point linkage model can be mounted on all compact tractors of around 25hp and above.

Working width	2.5m
Spacing of tines	50mm
Diameter of tines	6mm
No of tines	33 double prong tines, interpitched
Weight	120kg
Power requirements	25hp
Tractor requirements	Cat 1, 3 - point linkage









### Natural & synthetic

The Campey™ UNIRAKE™ is designed for and by leading groundsmen to accurately maintain natural and synthetic grass including hybrid surfaces. The Campey™ UNIRAKE™ offers high intensity grooming that can be calibrated in its severity.

We looked to the UniRake to improve our maintenance operation on the Desso constructed pitches and to take some of the weaker grasses out. This is because the pitches get quite thick before the end of the season, but we also use it during the renovation as well, and It's been a huge success for us.

#### Andy Jackson,

Head Groundsman, Stoke City Football Club

Working width	2.0m
Length	1.80m
Number of tines	136
Tine length	1337mm
Weight (approx)	675lbs
Power requirement	25hp +
Options	Brush









## Artificial decompactor, rotary scarifier

The Campey™ Uni-Scratch is the ideal solution for those looking for professional and effective maintenance of natural and synthetic grass surface.

The Campey™ Uni-Scratch has been developed to infill or refill when installing or looking after synthetic grass carpets. It can also be used for the final organic matter removal on natural grass hybrid carpet pitches when carrying out annual renovations.

The Uni-Scratch moves on 4 supporting rollers which are adjustable in height to allow the most appropriate working depth. The rotors can be equipped with springs or linear brushes in PPL. Rear linkage to tractors of at least 30hp.

Tines	3mm / 4mm optional
Size	0.90m (h) x 1.55m (w) x 1.00m (d)
Weight (approx)	454kgs
Working speed	1 - 3mph
Power requirement	Minimum of 30hp
Tractor requirement	540 PTO

CAMPEY™ UNI-BRUSH

CAMPEY™ EXCLUSIVE MACHINERY

## Snow, dirt and debris removal

Campey<sup>™</sup> Uni-Brush Front Sweeper has been developed to fit tractors from 18hp to 60hp. The compact design improves the handling to guarantee fast and accurate work in any conditions.

The Campey™ Uni-Brush Front Sweeper is equipped with roller brushes, suitable for snow removal and dirt and debris removal on driveways. Extremely versatile for any kind of work, the right tool for cleaning driveways, service areas, parking lots, yards and snow removal.

The gearbox features fully hardened steel gears and ball bearings in an oil bath enclosed cast-iron housing, and the double-chain secondary transmission reduces maintenance to a simple periodic check of the oil level and brush wear.





70cm work width

Compact & easy to handle

High quality poly brushes, 10 elements

1 driving speed

1 brush speed

Handlebar (foldable) with height adjustment

Honda GCV 160 OHC motor

CAMPEY™ CORE COLLECTOR CAMPEY™ EXCLUSIVE MACHINERY



## When core removal is necessary

The Campey 'Core Collector' is an accessory that can save you time and labour costs, when core removal is necessary after aeration. As your aerator is operating, the Core Collector picks up, contains & moves the cores to the collar, and when lifted to make the next pass the cores are deposited on the collar. The Core Collector can be mounted in a matter of minutes on walk behind & tractor drawn aerators. Removal is just as simple and can be stored easily with virtually no maintenance required.

Working width	1.2m
Weight (approx)	32kgs
Available for	Toro Procore 648, Procore 864, Procore 660 John Deere 800, 1000, and 1500



CAMPEY™ **RAKE O ROTOR**CAMPEY™ **EXCLUSIVE** MACHINERY

# Seed bed preparation, earth moving, raking and ditching

The Rake O Rotor is a bi-directional 2-speed rotor allowing for operation in both directions. Featuring a 25 degree angle and 28 degree tilt for ease in swaling and ditching. Oscillating gauge wheels lock in level position for the 3-point hitch use. Dual motor design delivers 40% more power & elimination of outside bearings and chains. The Rake O Rotor also features a floating rotor design, increased durability with carbide teeth, ditch cutters & side shields. The Rake O Rotor can be used on a 3-point hitch or skid steer hitch systems.

Working width	1.8m (72")
Width	2.0m (80")
Height	0.75m (30")
Weight	500kgs
Drum speed	0-600rpm





CAMPEY™ **SLG-78VF SOIL SCREENER**CAMPEY™ EXCLUSIVE MACHINERY

# Grecycling and screening

The SLG-78VF is a portable vibratory soil screener, powered by a 110v electric motor to give vibratory screen action and is designed for loading with tractor buckets or skid-steer loaders of up to 78" wide - adjustable screen angle and flow rate. Capable of recycling and screening sand, soil, gravel and various other materials, it is suitable for golf course, sports field and municipal use. Its high mobility means it can easily be moved around a site. Standard screen size is 19mm, with additional screen sizes available as options.

Loading width	2.13m (84")
Overall / transport width	2.43m (96")
Load height / Overall height	2.00m (78") 2.20m (86")
Weight	950kg (2,100lbs)
Depth	1.22m (48")
Power pack	Electric vibrating motor – 110v / 50Hertz (1200W req'd)
Vibratory action Suspension	Cantilevered Quad Spring
Screen angle	Adjustable screen angle from 25° – 50°
Screen mesh productivity	220cm (86") x 132cm (52") 15 – 35 yds / hour depending on screen and material
Standard screen mesh size	19mm x 100mm (3/4" x 4")
Additional screen sizes	From 6mm up to 100mm (1/4" up to 4")



## Towed topdressing brushing system

The Campey™ TB 220 is a heavy-duty, but lightweight, towed brush system for brushing in topdressing on greens and other fine turf surfaces. The brush unit is free-floating and has the option to lock-out either the front or rear brush as required. Other features include, 7 quick and accurate brush height adjustments, quick attachment, adjustable hitch height, sealed chain guards and integrated vertical storage facility. The Campey™ TB 220 has a 2 year limited warranty.

Working width	1.3m
Overall width	165cm
Length	285cm
Height	62.5cm
Brush Diameter	37.5cm
Control Cable (electric) Length	375cm 12V actuator
Tyre sizes - Drive wheels	16 x 6.50 - 8
Weight	168kgs









CAMPEY™ **TRIPLE V BRUSH**CAMPEY™ EXCLUSIVE MACHINERY

# Maintaining natural turf and 3G synthetic pitches

The CAMPEY™ Triple V Brush is a tractor mounted implement for brushing in topdressing removing worm cast, standing up grass prior to mowing and general presentation on natural turf.

The Campey™ V Brush is also suitable for use on sand-filled and 3G synthetic pitches for taking out scuffs and footprints, redistributing infill and promoting a vertical sward. The reversible mounting frame enables the V Brush to be mounted on the rear or front linkage on tractors of 18hp and above. Individual brush sections can easily be replaced when worn.

Working width	1.8m
Weight	100kgs
Power requirements	18hp
Tractor requirements	Cat 1, 3 point linkage





Pedestrian 21" Rotary mower with collection

PRO-HS spec, Honda GXV 160, rear roller and replacement blade.

OPTION: Front mounted 24" straight brush with mounting brackets, designed for fitting to Honda, Kaaz and Lawnflite pedestrian rotary mowers

CAMPEY™ **HAND DRAG BRUSH**CAMPEY™ EXCLUSIVE MACHINERY

## Hand Drag Brush

Heavy-duty hand drag brush for brushing in topdressing, removal of dew and for brushing and levelling hard porous areas, as well as for use on sand filled synthetic surfaces.



CAMPEY™ **SYNTHOFLEX BRUSH**CAMPEY™ EXCLUSIVE MACHINERY



## Artificial surface maintenance brush

A 3-point linkage mounted brush suitable for compact tractors of 15hp. All galvanised / plastic construction, stiffness of bristles can be easily altered by adjusting the plastic stiffening board. For regular use on all artificial surfaces, stands up pile and helps to level rubber crumb.

Working width	1.8m
Transport width	1.80m x 1.00m x 0.20m
Weight	40kgs
Tractor required	15hp



CAMPEY™ **Groundsmower trailer** CAMPEY™ EXCLUSIVE MACHINERY







## Ideal grounds mower transportation

The Campey™ Groundsmower trailer is ideal to move any grounds mower around easily and efficiently. Designed to be towed by any utility vehcile, or tractor. Manual lowering of trailer bed to allow effortlessly loading of the mowers. Can accommodate up to 2 mowers (depending on size). Equipped with safety bar to keep mower(s) in position when travelling.

### Specification

Length	3.65m
Width	1.72m
Weight	185kgs

CAMPEY™ **TPC EASY LOAD TRAILER**CAMPEY™ EXCLUSIVE MACHINERY

## TPC Easy Load Trailer

The CAMPEY™ TPC Easy Load trailer is ideal for transporting the Toro Procore 648 around to wherever it's being used. The Procore can be loaded with swath boards, with or without a core collector fitted. The fully galvanised trailer, complete with 50mm ball or clevis drawbar and a locking mechanism, makes for safe, easy transportation (travelling up to 15mph/25kph), with a ratchet strap fitted over the front wheel to secure it.

Length	3.65m
Width	1.72m
Weight	185kgs
Includes	Ratchet Strap for front wheel of machine on the trailer

<sup>\*</sup> Not for road use







CAMPEY™ **EASY-LOAD TRAILER**CAMPEY™ EXCLUSIVE MACHINERY







## Easy-load trailer

Specialist easy-load trailer for transporting machinery on roads and across turf areas. Designed to transport the Air2G2, it will also accommodate other popular turf machinery like the Toro Procore, John Deere Aeracore, and small ride-on mowers. Fully road worthy, with brakes & lighting, the tail-board ramp lowers to allow safe and easy loading, & the tie-downs supplied will secure machinery in place. Supplied with spare wheel.

Overall Length & Width	380cm x 178cm
Body Load Space	250cm x 178cm
Wheel - Tyre size	195 x 55 - 10
Gross Weight	1300k
Unladen Weight	300kg
Maximum payload	1000kg

## Simply precise

The CAMPEY™ LM3010 / LM3012 is a simple, durable and easy to operate liquid transfer line marker. Marking material is transferred from the 30ltr hopper to the 10cm or 12cm wide marking wheel by a grooved rubber roller, giving even, accurate lines. Features adjustable, tubular steel handles, pneumatic tyres and has an adjustable flow rate. Front roller allows marking up to post or flag. Recommended marking materials include propriety marking paints, emulsion paint, etc. Always check marking materials comply with H.S.E guidelines for sports field use.

Marking width	10cm
Overall / transport width	60cm
Hopper capacity	15 litres (3 gallons)
Weight (approx)	19.5kg
Carton dimensions	620mm x 660mm x 310mm









CLASSEN PRO **PRO HSC18 HYDRO-DRIVE**CAMPEY™ ANCILLARY PRODUCTS

## Speedy turf cutting

Maximize productivity for any application big or small with the PRO HSC18 Turf Cutter. Whether you are repositioning or relocating turf or expanding landscaping areas, the hydrostatic drive delivers high productivity with smooth power in both forward and reverse while providing the industry's fastest transport speed.

- Powered forward and reverse with industry-best 4.7 mph transport speed
- Integrated throttle/clutch control on handle results in simple operation; releasing the handle puts the machine into idle
- Advanced vibration dampening systems provides enhanced operator comfort even with extended run times
- Integrated rear swivel wheel provides turning ease and locks in place for straight-line cutting
- Knobby tread drive wheels grip the turf better and reduce dirt buildup





MARTIN LISHMAN **SPRAYER** CAMPEY™ ANCILLARY PRODUCTS

# Responsive easy handle pedestrian micro sprayer

Martin Lishman Micro-Spray pedestrian sprayer combines control and power with is designed for all types of sports grounds, golf courses and landscaping work. The Martin Lishman Micro-Spray brings a new concept in spraying versatility to the groundsman's armoury. The Martin Lishman Micro-Spray has a narrow footprint so it can fit through most gateways and passageways to tackle hard to reach spraying areas. The design ensures it also has a low centre of gravity.

The comprehensive yet easy to use control box gives the operator more control over the sprayer with changeable motor direction to either walk behind or in front of the sprayer, 12 motor speeds, bout marker selection and a battery level indicator.

120 litre tank

Break back

2.5m 6 nozzle, 3 section folding boom

Independent shut-off nozzle bodies

Reduced drift air inclusion nozzles

Optional hand lance and a bout marker / triple nozzles

Boom height adjustment









LIMPAR **72 BRUSH** CAMPEY™ ANCILLARY PRODUCTS

# Spring cleaning to winter service

This is an entry-level model, ideal for spring cleaning or removing foliage and winter service - for every season and every purpose corresponding accessories are available e.g. collecting box, snow blade, snow chains or different brush types. This allows you to do your cleaning tasks professionally.

The sweeping brushes are centrally driven - this permits wall conclusive sweeping, also in connection with a stable plastic collector. The brush pressure is continuously adjustable and, the brushes can be swivelled in different positions. The handlebar is easily adjustable to your body size.

70cm work width

Compact & easy to handle

High quality poly brushes, 10 elements

1 driving speed

1 brush speed

Handlebar (foldable) with height adjustment

Honda GCV 160 OHC motor







LIMPAR **V50** CAMPEY™ ANCILLARY PRODUCTS

### Greens scarifier

A beautiful, green lawn requires special care. In addition to mowing, in particular, regular scarifying is required. Our scarifiers free the turf of weeds, moss and lawn thatch, so that water and nutrients can again get to the roots.

With their hardened blades they chop the flat-growing weeds, comb out the moss and gently loosen the soil so that fertiliser and nutrients can again get to the roots. The lawn is gently maintained and will soon be a luxuriant green again.

The V40 and V50 have a stable, robust and torsion-free housing with hardened blades for long satisfaction with your device and steel rim tyres with ball bearings that are driven by powerful motors – ideal for professional use in harsh conditions or for the demanding user.







ECHO® **POWER TOOLS**CAMPEY™ ANCILLARY PRODUCTS

# World class outdoor power tools

### PB-580T

Highest performance in its class. 58.2cc professionalgrade 2-stroke engine that delivers superior power and durability. Padded backrest and shoulder straps for comfortable operation. A vented back pad allows air to circulate around the user for comfort in hot weather.






ECHO® **POWER TOOLS**CAMPEY™ ANCILLARY PRODUCTS

### PAS-2620ES Multi-tool system

The PAS-2620ES Multi-tool system has a 25.4cc heavy duty ECHO engine connected to a half length driveshaft. It features Easy Start for almost effortless starting, a loop handle and grouped cluster controls.

Seven optional tools can be fitted quickly and easily, simply by pushing and tightening the preferred attachment to the engine unit.



Industry's best combination of airspeed and air volume. 63.3 cc professional-grade, 2-stroke engine with a padded backrest and shoulder straps for comfort. Variable speed hip-mounted throttle with cruise control for convenience. 756 CFM and 234 MPH.



TAS **TRIMMER** CAMPEY™ ANCILLARY PRODUCTS

### 1<sup>st</sup> choice of landscape & golf course irrigation professionals

The TAS Trimmer blade mounts on any straight shaft strimmer. Once installed, the TAS Trimmer is ready to trim grass away from sprinkler heads, valve boxes, yardage markers and tee markers in a flash. The amount of time and energy saved is so great that it's nearly immeasurable. The TAS Trimmer is the #1 choice of landscape & golf course irrigation professionals.

#### Fitment

The TAS Trimmer fits any straight shaft strimmer on the market and mounts like a brush cutter attachment. Simply remove the original strimmer head and attach the TAS Trimmer using the brush cutter adapter kit for your make and model.



DIGITAL ACCU-GUAGE

CAMPEY™ ANCILLARY PRODUCTS





# Professional height of cut setting tool

The Digital Accu-Guage is the preferred height of cut setting tool for the professional groundsman & greenkeeper. Tines Direct are pleased to offer our bespoke specification as follows:

- 18" Bar length most popular size to suit greens, tees and outfield cutting units
- Digital for ease of reading & setting
- Metric nomination for UK & Europe
- Aluminium carry case protection for your gauge, with die cut foam for perfect fit

FLEMING™ FERTILISER SPREADERS CAMPEY™ ANCILLARY PRODUCTS

# Cost effective spreading

The Fleming Sitrex Wagtail Fertiliser Spreaders large capacity fertiliser spreader. The Wagtail Fertiliser Spreaders are suitable for use on small tractors. This implement is also a cost effective means of spreading large quantities of fertiliser.

Model	FSC500W	FSC800W
Load Capacity	500L	800L
Max Height	1m	1.07m
Spreading Width	6-12m	6-12m
Weight	130kg	175kg





NOTES	
_	











If you have any questions or require more information don't hesitate to get in touch, simply call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

☑ CampeyTurfCare ☐ CampeySportsTurfMachinery ☐ CampeyMachinery ☐ CampeyTurfCare